Save The Environment
KRUT LED
Save Power
TM

Commercial &
Industrial Lighting

LED PAR BULBS

11W

LED PAR BULBS

KL-PAR30-XXYYZZCCTTP

DESCRIPTION:

LED PAR Bulbs widely used in wall sconces, chandeliers, ornamental fixtures, bath bar, floor and table lamps, display counters and under cabinets.

APPLICATIONS:

Used at retail stores, art galleries and in recessed and track light.

SPECIFICATION FEATURES

LISTING:

UL / Energy Star Certification

WARRANTY:

5 Yrs Warranty

SUITABLE FOR WET LOCATIONS:

IP64

ORDER INFORMATION

KL	PAR30	WATT	XXYYZZCCTTP	CCT
KL	PAR20	11W	XXYYZZCCTTP	30K: 4000K 40K: 4500K 50k: 5000K

OTHER DETAILS

To prevent injury or damage to property, this product must be installed in accordance to National Electrical Code (NFPA70) in the US or Canadian Electrical Code (CSA 22.1) in Canada.

Risk of fire or electric shock. The electrical rating of these products are 100-277 Vac, the installer must determine whether they have 100-277 V at the luminaire before installation.

Risk of fire or electric shock. Installation requires knowledge of luminaires electrical systems. If not qualified, do not attempt installation. Contact a qualified electrician.

To prevent wiring damage or abrasion, do not expose wiring to edges of sheet metal or other sharp objects.

Disconnect power before installing the product or servicing it.

Wait until fixture has cooled down before installing or servicing the fixture.

Min. 90°c Supply Conductors

Warranty Period assumes that the Products are operated for less than 8 hours per day.

Krut LED LLC - 111 Preamble Ct, Anderson, SC-29621 - Ph: 864-401-8156
Website: www.krutled.com - Email: sales@krutled.com

LED PAR BULBS

KL-PAR30-XXYYZZCCTTP

LIGHTING PARAMETERS

Product Code	KL-PAR30-XXYYZZCCTTP
Wattage	11W
Color Temperature	2700K, 3000K, 4000K, 5000K
Application	Outdoor/Indoor
CRI	>90
Viewing Angle	36°
Energy Listing	UL
Input Voltage	100-200Vac
Light Type	LED Bulbs
Lumen	825 LM
Light Efficacy	75 lm/w
Operating Temperature	105°F
PFC	>90
Warranty	5 Years
Life Span	25K Hours

PRODUCT FEATURES

- Long Life
- Energy Efficiency
- Ecologically Friendly
- Durable Quality
- Design Flexibility
- Extremely Cold or Hot Temperatures
- Instant Lighting
- Low Voltage & Frequent Switching

PRODUCT PACKAGING

MODEL NO.	DIMENSION	CARTON	QUANTITY
KL-PAR30-XXYYZZCCTTP	68 x 68 x 92 MM	290 x 230 x 215 MM	24 PCS



Carton



Inner Box

Krut LED LLC - 111 Preamble Ct, Anderson, SC-29621 - Ph: 864-401-8156
Website: www.krutled.com - Email: sales@krutled.com