Save The Environment
KRUT LED
Save Power
TM

Commercial &
Industrial Lighting

LED FULL CUTOFF WALLPACK

80W

LED FULL CUTOFF WALLPACK

KLSN80FWPXX-CT4A1

DESCRIPTION:

Full cut off wallpacks are most suitable for low mounting and path way lighting. It helpful to control lighting spread to adjuscent properties.
It architectural looks makes it perfact fit for high end office building, retails building, hotel and apartment walkways ans regilious facilities.

APPLICATIONS:

Entrance Lighting, Courtyard Lighting, Industrial lighting

SPECIFICATION FEATURES

LISTING:

UL

WARRANTY:

5 Yrs Warranty

SUITABLE FOR WET LOCATIONS:

IP65

ORDER INFORMATION

KL	SN	80	FWP	XX	CT4A1	S	PHOTOCELL
KL	SN	80	FWP	4K 4K5 5K 5K7	CT4A1	S BLANK	P BLANK

LIGHT DISTRIBUTION TESTING PARAMETERS

DATA OF LAMP		PHOTOMETRIC DATA Eff: 122.75 lm/W			
MODEL		Imax(cd)	3118	S/MH(C0/180)	1.63
NOMINAL POWER(W)	80	LOR(%)	100.0	S/MH(C90/270)	0.94
RATED VOLTAGE(V)	120	TOTAL FLUX(lm)	9907.5	η UP,DN(C0-180)	0.1,64.2
NOMINAL FLUX(lm)	9907.52	CIE CLASS	DIRECT	η UP,DN(C180-360)	0.2,35.5
LAMPS INSIDE	1	η up(%)	0.3	CIBSE SHR NOM	1.25
TEST VOLTAGE(V)	120.0	η down(%)	99.7	CIBSE SHR MAX	1.35

PRODUCT DIMENSION



Optional accessories: Surge Protection

NOTICE FOR USERS

- Please turn off power before install or change assembly parts.
- The input voltage and lamps should be matched, after connecting the power line, Please make sure the wiring section is insulated.
- No-professionals, must not install and disassemble the lamps.

Krut LED LLC - 111 Preamble Ct, Anderson, SC-29621 - Ph: 864-401-8156
Website: www.krutled.com - Email: sales@krutled.com

LED FULL CUTOFF WALLPACK

KLSN80FWPXX-CT4A1

LIGHTING PARAMETERS

Product Code	KLSN80FWPXX-CT4A1
Wattage	80W
Color Temperature	4K, 4K5, 5K, 5K7
Application	Outdoor
CRI	>70
Dimension	360*235*166mm
Energy Listing	UL
Input Voltage	100-277Vac 50/60Hz
LED Type	SMD 3030
Lumen	9200 - 10000 LM
Lumen Efficancy	115 - 125 lm/w
Operating Humidity	20%-90% RH
Operating Temperature	-20°C To 45°C
Housing	Aluminum(ADC12) +PC
Storage Temperature	-30°C To 80°C
Warranty	5 Years
Water Proof Rating	IP65
Driver Model	China Brand Driver

PRODUCT FEATURES

- Unique design.
- UL cUL certificate.
- No UV or IR in the beam.
- Easy to install and operate.
- Energy saving, long lifespan.
- Instant start, NO flickering, NO humming.
- Green and eco-friendly without mercury.

PRODUCT PACKAGING

BOX	CARTON SIZE	G.W/CARTON	QUANTITY
Outer Box	400x300x230 mm	4.3 KG	1 PCS



Krut LED LLC - 111 Preamble Ct, Anderson, SC-29621 - Ph: 864-401-8156
Website: www.krutled.com - Email: sales@krutled.com